# Author Index


Backoff, P.M. and Clopton, B.M.
A spectrotemporal analysis of DCN single unit responses to wideband noise in guinea pig (53) 28
Bleich, N., see Pratt, H. (53) 237
Boettcher, F.A., see Gerken, G.M. (53) 101
Brix, J., see Fischer, F.P. (53) 281
Brundin, L., see Canlon, B. (53) 7
Bruns, V., see Dannhof, B.J. (53) 253
Bull, C.L., see Patuzzi, R.B. (53) 57

Canlon, B. and Brundin, L.
Mechanically induced length changes of isolated outer hair cells are metabolically dependent (53) 7
Casero, R.A., see Marks, S.C. (53) 230
Cassell, J.F., see Rajan, R. (53) 153
Clopton, B.M., see Backoff, P.M. (53) 28
Collinge, C. and Schweitzer, L.
Details of the central projections of the cochlear nerve in the hamster revealed by the fluorescent tracer DiI (53) 159

Dannhof, B.J. and Bruns, V.
The organ of Corti in the bat *Hipposideros bicolor* (53) 253
Drescher, D.G., see Khan, K.M. (53) 223

Fischer, F.P., Brix, J., Singer, I. and Miltz, C.
Contacts between hair cells in the avian cochlea (53) 281
Flock, Å., see Karlsson, K.K. (53) 95
Franklin, D.J., Lonsbury-Martin, B.L., Stagner, B.B. and Martin, G.K.
Altered susceptibility of $2f_1 - f_2$ acoustic-distortion products to the effects of repeated noise exposure in rabbits (53) 185

Gerken, G.M., Solecki, J.M. and Boettcher, F.A.
Temporal integration of electrical stimulation of auditory nuclei in normal-hearing and hearing-impaired cat (53) 101

Hatfield, J.S., see Khan, K.M. (53) 223
Heilbronn, E., see Plinkert, P.K. (53) 123
Hellstrom, L.I. and Schmiedt, R.A.
Rate/level functions of auditory-nerve fibers in young and quiet-aged gerbils (53) 217
Henning, G.B., see Zwicker, E. (53) 141
Horner, K.C., see Rydmarker, S. (53) 113
Hunter, K.P., see Willott, J.F. (53) 78

Irvine, D.R.F., see Rajan, R. (53) 153

Karlsson, K.K., Ulfendahl, M., Khanna, S.M. and Flock, Å.
The effects of quinine on the cochlear mechanics in the isolated temporal bone preparation (53) 95
Khan, K.M., Hatfield, J.S. and Drescher, D.G.
Carbohydrates associated with the cell coat surrounding cells of the rainbow trout saccular macula as revealed by lectin probes (53) 223
Khanna, S.M., see Karlsson, K.K. (53) 95
Klinke, R., see Schermuly, L. (53) 49

Lonsbury-Martin, B.L., see Franklin, D.J. (53) 185

Marillaud, A., see Meurice, J.C. (53) 209
Marks, S.C., Mattox, D.E. and Casero, R.A.
The effects of DFMO on polyamine metabolism in the inner ear (53) 230
Martin, G.K., see Franklin, D.J. (53) 185
Mattox, D.E., see Marks, S.C. (53) 230
Meurice, J.C., Paquereau, J. and Marillaud, A.
Same location of the source of $P_1$ of BAEPs and $N_1$ of CAP in guinea pig (53) 209
Miltz, C., see Fischer, F.P. (53) 281

Paquereau, J., see Meurice, J.C. (53) 209
Parham, K., see Willott, J.F. (53) 78
Patuzzi, R.B. and Bull, C.L.
Electrical responses from the chicken basilar papilla (53) 57
Peake, W.T. and Rosowski, J.J.
Impedance matching, optimum velocity, and ideal middle ears (53) 1
Phillips, D.P. and Sark, S.A.
Separate mechanisms control spike numbers and interspike intervals in transient responses of cat auditory cortex neurons (53) 17
Plinkert, P.K., Zenner, H.P. and Heilbronn, E.
A nicotinic acetylcholine receptor-like $\alpha$-bungarotoxin-binding site on outer hair cells (53) 123
Pratt, H., Zaaroor, M., Bleich, N. and Starr, A.
Effects of myelin or cell body brainstem lesions on 3-channel Lissajous' trajectories of feline auditory brainstem evoked potentials (53) 237

Rajan, R., Irvine, D.R.F. and Cassell, J.F.
Normative $N_1$ audiogram data for the barbiturate-anaesthetised domestic cat (53) 153
Raphael, Y.
Pure-tone overstimulation protects surviving avian hair cells from acoustic trauma (53) 173

Relkin, E.M. and Smith, R.L.
Forward masking of the compound action potential: Thresholds for the detection of the $N_1$ peak (53) 131
Richardson, G.P. and Russell, I.J.
Cochlear cultures as a model system for studying aminoglycoside induced ototoxicity (53) 293
Rosowski, J.J., see Peake, W.T. (53) 1
Russell, I.J., see Richardson, G.P. (53) 293
Rydmarker, S. and Horner, K.C.
Atrophy of outer hair cell stereocilia and hearing loss in hydropic cochleae (53) 113

Sark, S.A., see Phillips, D.P. (53) 17
Schermuly, L., Topp, G. and Klinke, R.
A previously unknown hair cell epithelium in the pigeon cochlea: The papilla chaotica (53) 49
Schmiedt, R.A., see Hellstrom, L.I. (53) 217
Schweitzer, L., see Collinge, C. (53) 159
Shapiro, S.M.
Binaural effects in brainstem auditory evoked potentials of jaundiced Gunn rats (53) 41
Singer, I., see Fischer, F.P. (53) 281
Smith, R.L., see Relkin, E.M. (53) 131
Solecki, J.M., see Gerken, G.M. (53) 101
Stagner, B.B., see Franklin, D.J. (53) 185
Starr, A., see Pratt, H. (53) 237

Topp, G., see Schermuly, L. (53) 49

Ulfendahl, M., see Karlsson, K.K. (53) 95

Whitehead, M.L.
Slow variations of the amplitude and frequency of spontaneous otoacoustic emissions (53) 269
Willott, J.F., Parham, K. and Hunter, K.P.
Comparison of the auditory sensitivity of neurons in the cochlear nucleus and inferior colliculus of young and aging C57BL/6J and CBA/J mice (53) 78

Zaaroor, M., see Pratt, H. (53) 237
Zenner, H.P., see Plinkert, P.K. (53) 123
Zwicker, E. and Henning, G.B.
On the effect of interaural phase differences on loudness (53) 141

# Subject Index

**Acoustic trauma**
Chick; Hair cell; Tectorial membrane; Protection; Actin (Raphael, Y. (53) 173)

**Actin**
Chick; Acoustic trauma; Hair cell; Tectorial membrane; Protection (Raphael, Y. (53) 173)

**Age-related hearing loss**
Cochlear nucleus; Mice; Presbycusis; Tuning curves (Willott, J.F. (53) 78)

**Aging**
Rate/level function; Auditory nerve; Gerbil; Compound action potential; Presbyacusis (Hellstrom, L.I. (53) 217)

**Aminoglycoside antibiotics**
Cochlear cultures; Ototoxicity (Richardson, G.P. (53) 293)

**Amplitude variations**
Spontaneous otoacoustic emissions; Frequency variations; Contralateral ear (Whitehead, M.L. (53) 269)

**Auditory brainstem evoked potentials**
3CLT; Myelin lesions; Neuronal lesions; Cochlear nucleus; Superior olivary complex; Trapezoid body (Pratt, H. (53) 237)

**Auditory cortex**
Single neuron; Transient response; Spike timing; Inter-spike interval (Phillips, D.P. (53) 17)

**Auditory nerve**
Compound action potential; Forward masking; Detection; Threshold (Relkin, E.M. (53) 131)

Rate/level function; Gerbil; Aging; Compound action potential; Presbyacusis (Hellstrom, L.I. (53) 217)

**Basilar papilla**
Chicken; Hair cell; Tuning (Patuzzi, R.B. (53) 57)

**Bat**
Cochlea; Morphometry; *Hipposideros* (Dannhof, B.J. (53) 253)

**Behavioral thresholds**
$2f_1 - f_2$ distortion-product otoacoustic emissions; Noise exposure; Susceptibility/resistance; Rabbit (Franklin, D.J. (53) 185)

**Bilirubin**
Binaural; Brainstem; Evoked potentials, auditory; Gunn rat; Jaundice (Shapiro, S.M. (53) 41)

**Binaural**
Bilirubin; Brainstem; Evoked potentials, auditory; Gunn rat; Jaundice (Shapiro, S.M. (53) 41)

**Binaural loudness**
Partial masking; Interaural phase difference (Zwicker, E. (53) 141)

**Bird**
Cochlea; Hair cell; Cell contact (Fischer, F.P. (53) 281)

**Brainstem**
Bilirubin; Binaural; Evoked potentials, auditory; Gunn rat; Jaundice (Shapiro, S.M. (53) 41)

**Brainstem auditory evoked potentials**
Guinea pig; Lesion; Compound action potential; Cochlear nerve; Generators (Meurice, J.C. (53) 209)

**Cat**
Temporal integration; Sound-induced hearing loss; Electrical stimulation; Inferior colliculus; Cochlear nucleus (Gerken, G.M. (53) 101)

**Cell coat**
Lectin binding; Saccular macula; *Salmo gairdneri* (Khan, K.M. (53) 223)

**Cell contact**
Bird; Cochlea; Hair cell (Fischer, F.P. (53) 281)

**Chick**
Acoustic trauma; Hair cell; Tectorial membrane; Protection; Actin (Raphael, Y. (53) 173)

**Chicken**
Basilar papilla; Hair cell; Tuning (Patuzzi, R.B. (53) 57)

**3CLT**
Auditory brainstem evoked potentials; Myelin lesions; Neuronal lesions; Cochlear nucleus; Superior olivary complex; Trapezoid body (Pratt, H. (53) 237)

**Cochlea**
Motility; Metabolism; Outer hair cells (Canlon, B. (53) 7)

Inner ear; Efferent innervation; Hearing; Motility; Cytoskeleton (Plinkert, P.K. (53) 123)

Morphometry; Bat; *Hipposideros* (Dannhof, B.J. (53) 253)

Bird; Hair cell; Cell contact (Fischer, F.P. (53) 281)

**Cochlear cultures**
Aminoglycoside antibiotics; Ototoxicity (Richardson, G.P. (53) 293)

**Cochlear mechanics**
Hearing loss; Outer hair cells; Quinine; Contraction (Karlsson, K.K. (53) 95)

**Cochlear nerve**
Cochlear nucleus; DiI; Tonotopic; Olivocochlear (Collinge, C. (53) 159)

Guinea pig; Lesion; Brainstem auditory evoked potentials; Compound action potential; Generators (Meurice, J.C. (53) 209)

**Cochlear nucleus**
Age-related hearing loss; Mice; Presbycusis; Tuning curves (Willott, J.F. (53) 78)

Temporal integration; Sound-induced hearing loss; Electrical stimulation; Inferior colliculus; Cat (Gerken, G.M. (53) 101)

Cochlear nerve; DiI; Tonotopic; Olivocochlear (Collinge, C. (53) 159)

Auditory brainstem evoked potentials; 3CLT; Myelin lesions; Neuronal lesions; Superior olivary complex; Trapezoid body (Pratt, H. (53) 237)

**Compound action potential**
Auditory nerve; Forward masking; Detection; Threshold (Relkin, E.M. (53) 131)

Guinea pig; Lesion; Brainstem auditory evoked potentials; Cochlear nerve; Generators (Meurice, J.C. (53) 209)

Rate/level function; Auditory nerve; Gerbil; Aging; Presbyacusis (Hellstrom, L.I. (53) 217)

**Contraction**
Hearing loss; Cochlear mechanics; Outer hair cells; Quinine (Karlsson, K.K. (53) 95)

**Contralateral ear**
Spontaneous otoacoustic emissions; Frequency variations; Amplitude variations (Whitehead, M.L. (53) 269)

**Cytoskeleton**
Inner ear; Efferent innervation; Hearing; Cochlea; Motility (Plinkert, P.K. (53) 123)

**Detection**
Compound action potential; Auditory nerve; Forward masking; Threshold (Relkin, E.M. (53) 131)

**Difluoromethylornithine**
Polyamine metabolism; Hearing loss; Ornithine decarboxylase; Guinea pigs (Marks, S.C. (53) 230)

**DiI**
Cochlear nerve; Cochlear nucleus; Tonotopic; Olivocochlear (Collinge, C. (53) 159)

**Dorsal cochlear nucleus**
Spectrotemporal analysis; Receptive field; Noise; Guinea pig (Backoff, P.M. (53) 28)

**Efferent innervation**
Inner ear; Hearing; Cochlea; Motility; Cytoskeleton (Plinkert, P.K. (53) 123)

**Electrical stimulation**
Temporal integration; Sound-induced hearing loss; Inferior colliculus; Cochlear nucleus; Cat (Gerken, G.M. (53) 101)

**Equilibrium**
Pigeon; Hair cell; Hearing (Schermuly, L. (53) 49)

**Evoked potentials, auditory**
Bilirubin; Binaural; Brainstem; Gunn rat; Jaundice (Shapiro, S.M. (53) 41)

**$2f_1 - f_2$ distortion-product otoacoustic emissions**
Behavioral thresholds; Noise exposure; Susceptibility/resistance; Rabbit (Franklin, D.J. (53) 185)

**Forward masking**
Compound action potential; Auditory nerve; Detection; Threshold (Relkin, E.M. (53) 131)

**Frequency variations**
Spontaneous otoacoustic emissions; Amplitude variations; Contralateral ear (Whitehead, M.L. (53) 269)

**Generators**
Guinea pig; Lesion; Brainstem auditory evoked potentials; Compound action potential; Cochlear nerve (Meurice, J.C. (53) 209)

**Gerbil**
Rate/level function; Auditory nerve; Aging; Compound action potential; Presbyacusis (Hellstrom, L.I. (53) 217)

**Guinea pig**
Spectrotemporal analysis; Receptive field; Dorsal cochlear nucleus; Noise (Backoff, P.M. (53) 28)

Lesion; Brainstem auditory evoked potentials; Compound action potential; Cochlear nerve; Generators (Meurice, J.C. (53) 209)

Difluoromethylornithine; Polyamine metabolism; Hearing loss; Ornithine decarboxylase (Marks, S.C. (53) 230)

**Gunn rat**
Bilirubin; Binaural; Brainstem; Evoked potentials, auditory; Jaundice (Shapiro, S.M. (53) 41)

**Hair cell**
Pigeon; Hearing; Equilibrium (Schermuly, L. (53) 49)

Chicken; Basilar papilla; Tuning (Patuzzi, R.B. (53) 57)

Chick; Acoustic trauma; Tectorial membrane; Protection; Actin (Raphael, Y. (53) 173)

Bird; Cochlea; Cell contact (Fischer, F.P. (53) 281)

**Hearing**
Pigeon; Hair cell; Equilibrium (Schermuly, L. (53) 49)

Inner ear; Efferent innervation; Cochlea; Motility; Cytoskeleton (Plinkert, P.K. (53) 123)

**Hearing loss**
Cochlear mechanics; Outer hair cells; Quinine; Contraction (Karlsson, K.K. (53) 95)

Hydrops; Menière's disease; Morphology; Scanning electron microscopy; Stereocilia (Rydmarker, S. (53) 113)

Difluoromethylornithine; Polyamine metabolism; Ornithine decarboxylase; Guinea pigs (Marks, S.C. (53) 230)

***Hipposideros***
Cochlea; Morphometry; Bat (Dannhof, B.J. (53) 253)

**Hydrops**
Hearing loss; Menière's disease; Morphology; Scanning electron microscopy; Stereocilia (Rydmarker, S. (53) 113)

**Ideal ears**
Impedance matching (Peake, W.T. (53) 1)

**Impedance matching**
Ideal ears (Peake, W.T. (53) 1)

**Inferior colliculus**
Temporal integration; Sound-induced hearing loss; Electrical stimulation; Cochlear nucleus; Cat (Gerken, G.M. (53) 101)

**Inner ear**
Efferent innervation; Hearing; Cochlea; Motility; Cytoskeleton (Plinkert, P.K. (53) 123)

**Interaural phase difference**
Binaural loudness; Partial masking (Zwicker, E. (53) 141)

**Inter-spike interval**
Auditory cortex; Single neuron; Transient response; Spike timing (Phillips, D.P. (53) 17)

**Jaundice**
Bilirubin; Binaural; Brainstem; Evoked potentials, auditory; Gunn rat (Shapiro, S.M. (53) 41)

**Lectin binding**
Cell coat; Saccular macula; *Salmo gairdneri* (Khan, K.M. (53) 223)

**Lesion**
Guinea pig; Brainstem auditory evoked potentials; Compound action potential; Cochlear nerve; Generators (Meurice, J.C. (53) 209)

**Menière's disease**
Hearing loss; Hydrops; Morphology; Scanning electron microscopy; Stereocilia (Rydmarker, S. (53) 113)

**Metabolism**
Cochlea; Motility; Outer hair cells (Canlon, B. (53) 7)

**Mice**
Age-related hearing loss; Cochlear nucleus; Presbycusis; Tuning curves (Willott, J.F. (53) 78)

**Morphology**
Hearing loss; Hydrops; Menière's disease; Scanning electron microscopy; Stereocilia (Rydmarker, S. (53) 113)

**Morphometry**
Cochlea; Bat; *Hipposideros* (Dannhof, B.J. (53) 253)

**Motility**
Cochlea; Metabolism; Outer hair cells (Canlon, B. (53) 7)

Inner ear; Efferent innervation; Hearing; Cochlea; Cytoskeleton (Plinkert, P.K. (53) 123)

**Myelin lesions**
Auditory brainstem evoked potentials; 3CLT; Neuronal lesions; Cochlear nucleus; Superior olivary complex; Trapezoid body (Pratt, H. (53) 237)

**Neuronal lesions**
Auditory brainstem evoked potentials; 3CLT; Myelin lesions; Cochlear nucleus; Superior olivary complex; Trapezoid body (Pratt, H. (53) 237)

**Noise**
Spectrotemporal analysis; Receptive field; Dorsal cochlear nucleus; Guinea pig (Backoff, P.M. (53) 28)

**Noise exposure**
Behavioral thresholds; $2f_1 - f_2$ distortion-product otoacoustic emissions; Susceptibility/resistance; Rabbit (Franklin, D.J. (53) 185)

**Olivocochlear**
Cochlear nerve; Cochlear nucleus; DiI; Tonotopic (Collinge, C. (53) 159)

**Ornithine decarboxylase**
Difluoromethylornithine; Polyamine metabolism; Hearing loss; Guinea pigs (Marks, S.C. (53) 230)

**Ototoxicity**
Cochlear cultures; Aminoglycoside antibiotics (Richardson, G.P. (53) 293)

**Outer hair cells**
Cochlea; Motility; Metabolism (Canlon, B. (53) 7)

Hearing loss; Cochlear mechanics; Quinine; Contraction (Karlsson, K.K. (53) 95)

**Partial masking**
Binaural loudness; Interaural phase difference (Zwicker, E. (53) 141)

**Pigeon**
Hair cell; Hearing; Equilibrium (Schermuly, L. (53) 49)

**Polyamine metabolism**
Difluoromethylornithine; Hearing loss; Ornithine decarboxylase; Guinea pigs (Marks, S.C. (53) 230)

**Presbyacusis**
Rate/level function; Auditory nerve; Gerbil; Aging; Compound action potential (Hellstrom, L.I. (53) 217)

**Presbycusis**
Age-related hearing loss; Cochlear nucleus; Mice; Tuning curves (Willott, J.F. (53) 78)

**Protection**
Chick; Acoustic trauma; Hair cell; Tectorial membrane; Actin (Raphael, Y. (53) 173)

**Quinine**
Hearing loss; Cochlear mechanics; Outer hair cells; Contraction (Karlsson, K.K. (53) 95)

**Rabbit**
Behavioral thresholds; $2f_1 - f_2$ distortion-product otoacoustic emissions; Noise exposure; Susceptibility/resistance (Franklin, D.J. (53) 185)

**Rate/level function**
Auditory nerve; Gerbil; Aging; Compound action potential; Presbyacusis (Hellstrom, L.I. (53) 217)

**Receptive field**
Spectrotemporal analysis; Dorsal cochlear nucleus; Noise; Guinea pig (Backoff, P.M. (53) 28)

**Saccular macula**
Cell coat; Lectin binding; *Salmo gairdneri* (Khan, K.M. (53) 223)

***Salmo gairdneri***
Cell coat; Lectin binding; Saccular macula (Khan, K.M. (53) 223)

**Scanning electron microscopy**
Hearing loss; Hydrops; Menière's disease; Morphology; Stereocilia (Rydmarker, S. (53) 113)

**Single neuron**
Auditory cortex; Transient response; Spike timing; Inter-spike interval (Phillips, D.P. (53) 17)

**Sound-induced hearing loss**
Temporal integration; Electrical stimulation; Inferior colliculus; Cochlear nucleus; Cat (Gerken, G.M. (53) 101)

**Spectrotemporal analysis**
Receptive field; Dorsal cochlear nucleus; Noise; Guinea pig (Backoff, P.M. (53) 28)

**Spike timing**
Auditory cortex; Single neuron; Transient response; Inter-spike interval (Phillips, D.P. (53) 17)

**Spontaneous otoacoustic emissions**
Frequency variations; Amplitude variations; Contralateral ear (Whitehead, M.L. (53) 269)

**Stereocilia**
Hearing loss; Hydrops; Menière's disease; Morphology; Scanning electron microscopy (Rydmarker, S. (53) 113)

**Superior olivary complex**
Auditory brainstem evoked potentials; 3CLT; Myelin lesions; Neuronal lesions; Cochlear nucleus; Trapezoid body (Pratt, H. (53) 237)

**Susceptibility/resistance**
Behavioral thresholds; $2f_1 - f_2$ distortion-product otoacoustic emissions; Noise exposure; Rabbit (Franklin, D.J. (53) 185)

**Tectorial membrane**
Chick; Acoustic trauma; Hair cell; Protection; Actin (Raphael, Y. (53) 173)

**Temporal integration**
Sound-induced hearing loss; Electrical stimulation; Inferior colliculus; Cochlear nucleus; Cat (Gerken, G.M. (53) 101)

**Threshold**
Compound action potential; Auditory nerve; Forward masking; Detection (Relkin, E.M. (53) 131)

**Tonotopic**
Cochlear nerve; Cochlear nucleus; DiI; Olivocochlear (Collinge, C. (53) 159)

**Transient response**
Auditory cortex; Single neuron; Spike timing; Inter-spike interval (Phillips, D.P. (53) 17)

**Trapezoid body**
Auditory brainstem evoked potentials; 3CLT; Myelin lesions; Neuronal lesions; Cochlear nucleus; Superior olivary complex (Pratt, H. (53) 237)

**Tuning**
Chicken; Basilar papilla; Hair cell (Patuzzi, R.B. (53) 57)

**Tuning curves**
Age-related hearing loss; Cochlear nucleus; Mice; Presbycusis (Willott, J.F. (53) 78)